ELSEVIER

Physica C 306 (1998) 331–333

PHYSICA C

Author Index to Volume 306

Abell, J.S., see Jiang, J., **306** (1998) 91
Adachi, S., see Tatsuki, T., **306** (1998) 67
Anderson, A.R., M. Murakami, K. Nagashima and G.J. Russell, Evidence for a structural change in TSMG Y123 at 225 K, **306** (1998) 15
Aouaroun, T. and C. Simon, Vortex plastic creep in a superconducting crystal of Tl-2223, **306** (1998) 238
Apperley, M., see Darmann, F., **306** (1998) 75
Apperley, M., see Savvides, N., **306** (1998) 129
Ardonne, E., see Groten, D., **306** (1998) 271

Babcock, S.E., see Tsu, I.-F., **306** (1998) 163
Baggio-Saitovich, E., see Sin, A., **306** (1998) 34
Beales, T.P., see Darmann, F., **306** (1998) 75
Behr, G., see Belger, A., **306** (1998) 277
Belger, A., U. Jaenicke-Rössler, D. Lipp, B. Wehner, P. Paufler and G. Behr, Structure refinement of the superconducting phase YNi_2B_2C as a function of temperature in the range 25–300 K, **306** (1998) 277
Bolzoni, F., see Riccò, M., **306** (1998) 136
Bushnell-Wye, G., see Jiang, J., **306** (1998) 91

Calestani, G., see Tampieri, A., **306** (1998) 21
Calleja, A., see Sin, A., **306** (1998) 34
Cappannini, O.M., C.O. Rodríguez and N.E. Christensen, Pressure dependence of compressibilities in YNi_2B_2C and YPd_2B_2C, **306** (1998) 101
Celotti, G., see Tampieri, A., **306** (1998) 21
Chen, W.M., S.S. Jiang, Y.C. Guo, L.Y. Li, L. Qiu, S.Y. Ding, K. Shen and S.X. Dou, Superconducting and structural effects of grinding upon $YBa_2Cu_3O_y$, **306** (1998) 143
Chimenos, J.M., see Sin, A., **306** (1998) 34
Christen, D.K., see Ren, Z.F., **306** (1998) 149
Christensen, N.E., see Cappannini, O.M., **306** (1998) 101
Chu, C.W., see Meng, R.L., **306** (1998) 223
Collings, E.W., see Sumption, M.D., **306** (1998) 300
Cunha, A.G., see Sin, A., **306** (1998) 34

Darmann, F., R. Zhao, G. McCaughey, M. Apperley and T.P. Beales, Properties of 'z-stack' elongate $(Bi_{2-x}Pb_x)Sr_2Ca_2Cu_3O_{10-\delta}$/Ag high temperature superconductors manufactured by the 'tape-in-tube' technique, **306** (1998) 75
Darmann, F., see Savvides, N., **306** (1998) 129
De Renzi, R., see Riccò, M., **306** (1998) 136
Ding, S.Y., see Chen, W.M., **306** (1998) 143
Dou, S.X., see Chen, W.M., **306** (1998) 143
Dou, S.X., see Ionescu, M., **306** (1998) 213
Drechsler, S.-L., see Freudenberger, J., **306** (1998) 1
Du, G., M. Mironova, S. Sathyamurthy and K. Salama, An investigation on high-angle grain boundaries in melt-textured $YBa_2Cu_3O_{6+x}$ superconductors, **306** (1998) 199

Ehmann, A., see Zoller, P., **306** (1998) 119
Emmerich, F.G., see Sin, A., **306** (1998) 34
Enomoto, Y., see Tokunaga, S., **306** (1998) 107
Erb, A., see Kläser, M., **306** (1998) 188

Freudenberger, J., S.-L. Drechsler, G. Fuchs, A. Kreyssig, K. Nenkov, S.V. Shulga, K.-H. Müller and L. Schultz, Superconductivity and disorder in $Y_xLu_{1-x}Ni_2B_2C$, **306** (1998) 1
Freyhardt, H.C., see Reder, M., **306** (1998) 289
Fuchs, G., see Freudenberger, J., **306** (1998) 1
Fueki, K., see Tsuchiya, T., **306** (1998) 309
Fujimoto, H., see Nakamura, Y., **306** (1998) 259

Garcia, C., see Meng, R.L., **306** (1998) 223
Ghosh, P.K. and K.N. Shrivastava, Soft vortices in type-II superconductors: YNi_2B_2C and $ErNi_2B_2C$, **306** (1998) 233
Glaser, J., see Zoller, P., **306** (1998) 119
Goren, S., see Sokolovsky, V., **306** (1998) 154
Groten, D., E. Ardonne, S. Ramakrishnan, G.J. Nieuwenhuys and J.A. Mydosh, Influence of the spin susceptibility on the peak effect in La-doped $CeRu_2$, **306** (1998) 271
Guo, Y.C., see Chen, W.M., **306** (1998) 143
Gupta, A.K., see Khare, N., **306** (1998) 218

Hari Babu, N. and T. Rajasekharan, Effect of a systematic variation of $Nd_4Ba_2Cu_2O_{10}$ content on the microstructure of melt processed $NdBa_2Cu_3O_{7-\delta}$ superconductor, **306** (1998) 82
Heinemann, K., see Reder, M., **306** (1998) 289
Herrmann, J., see Savvides, N., **306** (1998) 129
Hirabayashi, I., see Kawashima, J., **306** (1998) 114
Hirabayashi, I., see Ma, X.L., **306** (1998) 245
Hirayama, T., see Ma, X.L., **306** (1998) 245

Iiyama, M., see Inada, H., **306** (1998) 228
Ikuhara, Y., see Ma, X.L., **306** (1998) 245

Inada, H., T. Nakamura and M. Iiyama, Novel contact structure for ultra thin $YBa_2Cu_3O_{7-x}$ films, **306** (1998) 228
Ionescu, M., B. Zeimetz and S.X. Dou, Microhardness anisotropy of Bi-2212 crystals, **306** (1998) 213

Jaenicke-Rössler, U., see Belger, A., **306** (1998) 277
Jeżowski, A., see Plackowski, T., **306** (1998) 58
Jiang, J., T.C. Shields, J.S. Abell and G. Bushnell-Wye, Investigation of phase and texture evolution during thermomechanical processing in Bi(Pb)-2223/Ag tapes by high energy synchrotron X-ray diffraction, **306** (1998) 91
Jiang, S.S., see Chen, W.M., **306** (1998) 143
Jung, G., see Sokolovsky, V., **306** (1998) 154

Kadowaki, K., see Kaneko, S.-i., **306** (1998) 330
Kaiser, D.L., see Tsu, I.-F., **306** (1998) 163
Kaiser, J., see Kläser, M., **306** (1998) 188
Kajitani, T., see Shamoto, S., **306** (1998) 7
Kaneko, S.-i., N. Nishida, T. Mochiku and K. Kadowaki, Erratum to 'Scanning tunneling spectroscopy of $Bi_2Sr_2CaCu_2O_{8+\delta}$' [Physica C, 298 (1998) 105–114], **306** (1998) 330
Kang, W.N., see Meng, R.L., **306** (1998) 223
Kato, T., see Shamoto, S., **306** (1998) 7
Kawashima, J., Y. Yamada and I. Hirabayashi, Critical thickness and effective thermal expansion coefficient of YBCO crystalline film, **306** (1998) 114
Kemmler-Sack, S., see Zoller, P., **306** (1998) 119
Khare, N., A.K. Gupta, S.K. Shrivastava, H.K. Singh and O.N. Srivastava, Study of harmonic generation in Hg(Tl)BaCaCuO thin film, **306** (1998) 218
Kim, Y.-J., see Park, M.-A., **306** (1998) 96
Kläser, M., J. Kaiser, F. Stock, G. Müller-Vogt and A. Erb, Comparative study of oxygen diffusion in rare earth $REBa_2Cu_3O_{7-\delta}$ single crystals (RE = Y, Er, Dy) with different impurity levels, **306** (1998) 188
Krelaus, J., see Reder, M., **306** (1998) 289
Kreyssig, A., see Freudenberger, J., **306** (1998) 1

Lao, J.Y., see Ren, Z.F., **306** (1998) 149
Lee, M.H., see Park, M.-A., **306** (1998) 96
Lesca, S., see Tampieri, A., **306** (1998) 21
Li, L.Y., see Chen, W.M., **306** (1998) 143
Li, W., see Ren, Z.F., **306** (1998) 149
Lipp, D., see Belger, A., **306** (1998) 277

Ma, X.L., T. Hirayama, K. Yamagiwa, I. Hirabayashi and Y. Ikuhara, Microstructure characterization of $YBa_2Cu_3O_{7-y}$ thin film derived from the metal (Y, Ba, and Cu) naphthenates gels coated on the $SrTiO_3$ (100) substrate, **306** (1998) 245
Maekawa, S., see Tsuchiya, T., **306** (1998) 309
Masini, R., see Tampieri, A., **306** (1998) 21
McCaughey, G., see Darmann, F., **306** (1998) 75
McCaughey, G., see Savvides, N., **306** (1998) 129
Meerovich, V., see Sokolovsky, V., **306** (1998) 154
Meng, Q.B., Z.J. Wu and S.Y. Zhang, Investigation of Pr valence and relationship between bond covalency and T_c in $Y_{1-x}Pr_xBa_2Cu_3O_7$ ($x = 0$–1), **306** (1998) 321
Meng, R.L., C. Garcia, Y.Q. Wang, W.N. Kang, I. Rusakova and C.W. Chu, Processing of low cost Bi-2212 tapes, **306** (1998) 223
Menozzi, L., see Riccò, M., **306** (1998) 136
Mironova, M., see Du, G., **306** (1998) 199
Misiorek, H., see Plackowski, T., **306** (1998) 58
Miyazaki, Y., see Shamoto, S., **306** (1998) 7
Mochiku, T., see Kaneko, S.-i., **306** (1998) 330
Müller, K.-H., see Freudenberger, J., **306** (1998) 1
Muller, K.-H., see Savvides, N., **306** (1998) 129
Müller-Vogt, G., see Kläser, M., **306** (1998) 188
Murakami, M., see Anderson, A.R., **306** (1998) 15
Mydosh, J.A., see Groten, D., **306** (1998) 271

Nagashima, K., see Anderson, A.R., **306** (1998) 15
Nakamura, T., see Inada, H., **306** (1998) 228
Nakamura, Y., K. Tachibana and H. Fujimoto, Dispersion of silver in the melt grown $YBa_2Cu_3O_{6+x}$ crystal, **306** (1998) 259
Nenkov, K., see Freudenberger, J., **306** (1998) 1
Nieuwenhuys, G.J., see Groten, D., **306** (1998) 271
Nishida, N., see Kaneko, S.-i., **306** (1998) 330

Obradors, X., see Sin, A., **306** (1998) 34
Ohashi, M., see Shamoto, S., **306** (1998) 7
Ohkawa, Y., see Tokunaga, S., **306** (1998) 107
Ohoyama, K., see Shamoto, S., **306** (1998) 7
Ono, Y., see Shamoto, S., **306** (1998) 7
Orlando, M.T.D., see Sin, A., **306** (1998) 34

Pandey, A.K., G.D. Verma and O.N. Srivastava, Investigations on the Tl-doped Hg–Ba–Ca–Cu–O high temperature superconductors in regard to hole doping and microstructural characteristics, **306** (1998) 47
Paranthaman, M., see Ren, Z.F., **306** (1998) 149
Park, M.-A., M.H. Lee and Y.-J. Kim, Compensation of magnetic impurity effect in superconductors by radiation damage, **306** (1998) 96
Paufler, P., see Belger, A., **306** (1998) 277
Piñol, S., see Sin, A., **306** (1998) 34
Plackowski, T., A. Jeżowski, C. Sułkowski, D. Włosewicz and H. Misiorek, Thermal transport in $Sm_{1+x}Ba_{2-x}Cu_3O_y$ solid solution, **306** (1998) 58

Qiu, L., see Chen, W.M., **306** (1998) 143

Rajasekharan, T., see Hari Babu, N., **306** (1998) 82
Ramakrishnan, S., see Groten, D., **306** (1998) 271
Reder, M., J. Krelaus, L. Schmidt, K. Heinemann and H.C. Freyhardt, Effects of Re-doping on microstructure and superconductivity of $HgBa_2Ca_2Cu_3O_{8+\delta}$, **306** (1998) 289
Reilly, D., see Savvides, N., **306** (1998) 129
Ren, Z.F., W. Li, D.Z. Wang, J.Y. Lao, J.H. Wang, M. Paranthaman, D.T. Verebelyi and D.K. Christen, Growth and characterization of superconducting films $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_9$ on CeO_2-buffered single crystal YSZ, **306** (1998) 149

Riccò, M., L. Menozzi, R. De Renzi and F. Bolzoni, Korringa relation and Hebel–Slichter peak in ammonia intercalated fullerides by ^1H NMR, **306** (1998) 136
Rodríguez, C.O., see Cappannini, O.M., **306** (1998) 101
Rusakova, I., see Meng, R.L., **306** (1998) 223
Russell, G.J., see Anderson, A.R., **306** (1998) 15

Salama, K., see Du, G., **306** (1998) 199
Sathyamurthy, S., see Du, G., **306** (1998) 199
Savvides, N., J. Herrmann, D. Reilly, K.-H. Muller, F. Darmann, G. McCaughey, R. Zhao and M. Apperley, Effect of strain on ac power loss of Bi-2223/Ag superconducting tapes, **306** (1998) 129
Schmidt, L., see Reder, M., **306** (1998) 289
Schultz, L., see Freudenberger, J., **306** (1998) 1
Shamoto, S., T. Kato, Y. Ono, Y. Miyazaki, K. Ohoyama, M. Ohashi, Y. Yamaguchi and T. Kajitani, Structures of β-ZrNCl and superconducting $Li_{0.16}ZrNCl$: double honeycomb lattice superconductor, **306** (1998) 7
Shen, K., see Chen, W.M., **306** (1998) 143
Shields, T.C., see Jiang, J., **306** (1998) 91
Shrivastava, K.N., see Ghosh, P.K., **306** (1998) 233
Shrivastava, S.K., see Khare, N., **306** (1998) 218
Shulga, S.V., see Freudenberger, J., **306** (1998) 1
Simon, C., see Aouaroun, T., **306** (1998) 238
Sin, A., A.G. Cunha, A. Calleja, M.T.D. Orlando, F.G. Emmerich, E. Baggio-Saitovich, S. Piñol, J.M. Chimenos and X. Obradors, Formation and stability of $HgCaO_2$, a competing phase in the synthesis of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_{8+\delta}$ superconductor, **306** (1998) 34
Singh, H.K., see Khare, N., **306** (1998) 218
Sokolovsky, V., V. Meerovich, S. Goren and G. Jung, Analytical approach to AC loss calculation in high-T_c superconductors, **306** (1998) 154
Srivastava, O.N., see Khare, N., **306** (1998) 218
Srivastava, O.N., see Pandey, A.K., **306** (1998) 47
Stock, F., see Kläser, M., **306** (1998) 188
Sułkowski, C., see Plackowski, T., **306** (1998) 58
Sumption, M.D., S. Takács and E.W. Collings, Modelling of *M–H* loop anomalies in synergistically pinned, heterogeneous, composite superconductors, **306** (1998) 300
Suzuki, K., see Tokunaga, S., **306** (1998) 107

Tachibana, K., see Nakamura, Y., **306** (1998) 259
Takács, S., see Sumption, M.D., **306** (1998) 300
Tampieri, A., G. Calestani, G. Celotti, R. Masini and S. Lesca, Multi-step process to prepare bulk BSCCO (2223) superconductor with improved transport properties, **306** (1998) 21
Tamura, T., see Tatsuki, T., **306** (1998) 67
Tanabe, K., see Tatsuki, T., **306** (1998) 67
Tatsuki, T., S. Adachi, T. Tamura and K. Tanabe, High-pressure synthesis and superconductivity of Sr–Ca–Cu–O–Cl compounds with 0212-type and 0223-type structure, **306** (1998) 67
Tokunaga, S., Y. Ohkawa, K. Suzuki and Y. Enomoto, SiO_2 passivation film effects on YBCO junctions, **306** (1998) 107
Tsu, I.-F., J.-L. Wang, D.L. Kaiser and S.E. Babcock, A comparison of grain boundary topography and dislocation network structure in bulk-scale [001] tilt bicrystals of $Bi_2Sr_2CaCu_2O_{8+x}$ and $YBa_2Cu_3O_{7-\delta}$, **306** (1998) 163
Tsuchiya, T., K. Fueki and S. Maekawa, Determination of Fermi level of $Bi_2Sr_2(Y_{1-x}Ca_x)Cu_2O_y$ as a function of calcium and oxygen contents by electrochemical method, **306** (1998) 309

Verebelyi, D.T., see Ren, Z.F., **306** (1998) 149
Verma, G.D., see Pandey, A.K., **306** (1998) 47

Wang, D.Z., see Ren, Z.F., **306** (1998) 149
Wang, J.-L., see Tsu, I.-F., **306** (1998) 163
Wang, J.H., see Ren, Z.F., **306** (1998) 149
Wang, Y.Q., see Meng, R.L., **306** (1998) 223
Wang, Z.H., Current-induced vortex-glass-type transition in an epitaxial $YBa_2Cu_3O_{7-\delta}$ thin film, **306** (1998) 253
Wehner, B., see Belger, A., **306** (1998) 277
Wischert, W., see Zoller, P., **306** (1998) 119
Włosewicz, D., see Plackowski, T., **306** (1998) 58
Wu, Z.J., see Meng, Q.B., **306** (1998) 321

Yamada, Y., see Kawashima, J., **306** (1998) 114
Yamagiwa, K., see Ma, X.L., **306** (1998) 245
Yamaguchi, Y., see Shamoto, S., **306** (1998) 7

Zeimetz, B., see Ionescu, M., **306** (1998) 213
Zhang, S.Y., see Meng, Q.B., **306** (1998) 321
Zhao, R., see Darmann, F., **306** (1998) 75
Zhao, R., see Savvides, N., **306** (1998) 129
Zoller, P., A. Ehmann, J. Glaser, W. Wischert and S. Kemmler-Sack, Melt texturing and thermomechanical processing of (Bi,Pb)-1212 superconductors, **306** (1998) 119

ELSEVIER

Physica C 306 (1998) 334–335

PHYSICA C

Analytic Subject Index to Volume 306

AC loss
–in Bi-2223/Ag tapes 129
AC losses 154
AC susceptibility
–of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 238
Activation energy
–of $YBa_2Cu_3O_{7-\delta}$ 15
Ag addition
–in $YBa_2Cu_3O_{6+x}$ crystal 259
Ag dispersion
–on $YBa_2Cu_3O_{6+x}$ crystal 259
Anisotropy
–of $(NH_3)_xNaRb_2C_{60}$ 136
–of Bi-2212 crystal 213
Annealing
–of YBCO junctions 107
Apical chlorine 67
Application of high-T_c superconductors 228

BCS model Gor'kov's formalism 96
Bicrystals 163
Bond covalency
–in $Y_{1-x}Pr_xBa_2Cu_3O_7$ 321

Chemical diffusion
–in $REBa_2Cu_3O_{7-\delta}$ - single crystals 188
Compressibility
–of YNi_2B_2C 101
–of YPd_2B_2C 101
Contact resistance
–of $YBa_2Cu_3O_{7-x}$ films 228
Contact structure; 228
Cracks
–in Bi-2223/Ag tapes 129
–in YBCO crystalline film 114
Critical current density
–of (Bi,Pb)-1212 119
–of $(Bi_{2-x}Pb_x)Sr_2Ca_2Cu_3O_{10-\delta}$/Ag tapes 75
–of $(Bi_{2-x}Pb_x)Sr_2Ca_2Cu_3O_{10-\delta}$/Ag wires 75
–of Bi(Pb)-2223/Ag tapes 91
–of $Bi_2Sr_2CaCu_2O_8$ tapes 223
–of $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_9$ films 149
–of $YBa_2Cu_3O_{6+x}$ 199
–of $YBa_2Cu_3O_{7-\delta}$ thin film 253
Critical state model 154
Critical thickness
–of YBCO crystalline film 114
Crystalline CeO_2 buffer laser
–for $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_9$ films 149

DC relaxation
–in $Tl_2Ba_2Ca_2Cu_3O_{10}$ 238
Density of state
–of YNi_2B_2C 101
–of YPd_2B_2C 101
Dislocations
–in $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ 163
–in $YBa_2Cu_3O_{7-\delta}$ 163
Disorder
–in $Y_xLu_{1-x}Ni_2B_2C$ 1
Doping
–in $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ 47

Effects of grinding
–on $YBa_2Cu_3O_y$ 143
Electrical conductivity
–in $REBa_2Cu_3O_{7-\delta}$ - single crystals 188
Electrical resistivity
–of (Bi,Pb)-1212 119
–of $SM_{1+x}Ba_{2-x}Cu_3O_y$ 58
–of $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_9$ films 149
–of $YBa_2Cu_3O_{7-\delta}$ thin film 253
Electrochemcial method 309
Electronic structure
–of $Bi_2Sr_2(Y_{1-x}Ca_x)Cu_2O_y$ 309
Extended Korringa relation 136

Facets
–on $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ 163
–on $YBa_2Cu_3O_{7-\delta}$ 163
Fermi level
–of $Bi_2Sr_2(Y_{1-x}Ca_x)Cu_2O_y$ 309
Flux creep
–in $Tl_2Ba_2Ca_2Cu_3O_{10}$ 238
Formation
–of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_{8+\delta}$ 34
Fullerene based superconductors 136

Grain alignment (Texturing)
–in Bi(Pb)-2223/Ag tapes 91
–in $NdBa_2Cu_3O_{7-\delta}$ 82
–of $YBa_2Cu_3O_{7-y}$ 245
Grain boundaries
–in (Bi,Pb)-1212 119
–in $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ 163
–in $YBa_2Cu_3O_{7-\delta}$ 163
Grain site
–in $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_{8+\delta}$ 289

Hebel–Slichter peak
–for $(NH_3)_xNaRb_2C_{60}$ 136
High temperature superconducting tapes 223
High-angle grain boundaries
–in $YBa_2Cu_3O_{6+x}$ 199
High-pressure synthesis
–of $Sr_2Ca_{n-1}Cu_nOx_{Cl}y$ 67
Higher harmonics
–in Hg(Tl)BaCaCuO thin film 218
Honeycomb lattice
–of $Li_{0.16}ZrNCl$ 7
HREM
–on $YBa_2Cu_3O_{7-y}$ 245
Humidity test 107
Hysteresis effect
–in Hg(Tl)BaCaCuO thin film 218

Intermetallic borocarbides 277
Internal friction
–in $YBa_2Cu_3O_{7-\delta}$ 15
Irradiation effect 96
IV characteristics
–of $YBa_2Cu_3O_{7-\delta}$ thin film 253

Josephson junction 107

Layered nitride 7
London penetration depth
–for $ErNi_2B_2C$ 233
–for YNi_2B_2C 233

Magnetic field anisotropy
–of $(Bi_{2-x}Pb_x)Sr_2Ca_2Cu_3O_{10-\delta}$/Ag tapes 75
Magnetic impurity 96
Magnetic susceptibility
–of BSCCO (2223) 21
Magnetisation
–of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_{8+\delta}$ 289
Magnetization
–of $CeRu_2$ 271
–of $SM_{1+x}Ba_{2-x}Cu_3O_y$ 58
Magnetization contributions 300
Melt processing
–of $YBa_2Cu_3O_{6+x}$ crystal 259
Melt texturing
–of (Bi,Pb)-1212 119
MgO buffer layer
–for YBCO crystalline film 114
Microhardness
–of Bi-2212 crystal 213
Microstructure
–of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_{8+\delta}$ 289
–of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ 47
–of $NdBa_2Cu_3O_{7-\delta}$ 82
–of $YBa_2Cu_3O_{6+x}$ crystal 259
–of $YBa_2Cu_3O_{7-y}$ thin film 245
Modelling of M–H loop 300
Morphology
–of BSCCO (2223) 21

Neutron diffraction
–on β-ZrNCl 7
–on $Li_{0.16}ZrNCl$ 7

Oxygen diffusion
–in $REBa_2Cu_3O_{7-\delta}$ - single crystals 188
Oxygen stoichiometry
–in $Bi_2Sr_2(Y_{1-x}Ca_x)Cu_2O_y$ 309

Pairing constraint 96
Particle site
–in $NdBa_2Cu_3O_{7-\delta}$ 82
Peak effect
–in $CeRu_2$ 271
Phase formation
–of $Sr_2Ca_{n-1}Cu_nO_xCl_y$ 67
Phase relation
–in $YBa_2Cu_3O_{6+x}$ crystal 259
Pressure dependence 101
Processing
–of $Bi_2Sr_2CaCu_2O_8$ tapes 223

Rare-earth substitution
–in $CeRu_2$ 271
Regrowth
–of $YBa_2Cu_3O_y$ 143

Scaling
–for $ErNi_2B_2C$ 233
–for YNi_2B_2C 233
SiO_2 passivation film 107
Solubility of Re
–in $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_{8+\delta}$ 289
Spin-lattice relaxation
–in $(NH_3)_xNaRb_2C_{60}$ 136
Stability
–of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_{8+\delta}$ 34
Stoichiometry
–of BSCCO (2223) 21
Strain
–in Bi-2223/Ag tapes 129
Strong coupling
–in $YBa_2Cu_3O_{6+x}$ 199
Structural phase transition
–in $ErNi_2B_2C$ 233
–in $YBa_2Cu_3O_{7-\delta}$ 15
–in YNi_2B_2C 233
Structure
–of β-ZrNCl 7
–of Hg(Tl)BaCaCuO thin film 218
–of $Li_{0.16}ZrNCl$ 7
–of $Y_xLu_{1-x}Ni_2B_2C$ 1
–of YNi_2B_2C 101; 277
–of YPd_2B_2C 101
Structure refinement
–of YNi_2B_2C 277
Superconducting tapes
–of Bi-2223/Ag 129
Superconducting transition temperature
–of $Y_xLu_{1-x}Ni_2B_2C$ 1
–of $Y_{1-x}Pr_xBa_2Cu_3O_7$ 321
Superconductivity
–in $CeRu_2$ 271
–in $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ 47
–in $YBa_2Cu_3O_y$ 143
Superconductor 154
Susceptibility
–of $YBa_2Cu_3O_y$ 143
Synchrotron X-ray diffraction
–on Bi(Pb)-2223/Ag tapes 91
Synthesis
–of $(Bi_{2-x}Pb_x)Sr_2Ca_2Cu_3O_{10-\delta}$/Ag tapes 75
–of $(Bi_{2-x}Pb_x)Sr_2Ca_2Cu_3O_{10-\delta}$/Ag wires 75
–of BSCCO (2223) 21
–of $Bi_2Sr_2CaCu_2O_8$ tapes 223
–of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ 47
–of $HgCaO_2$ 34
–of $NdBa_2Cu_3O_{7-\delta}$ 82
–of $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_9$ films 149

Texture evolution
–in Bi(Pb)-2223/Ag tapes 91
Thermal conductivity
–of $SM_{1+x}Ba_{2-x}Cu_3O_y$ 58
Thermal expansion
–of YNi_2B_2C 277
Thermal expansion coefficient
–of YBCO crystalline film 114
Thermoelectric power
–of $SM_{1+x}Ba_{2-x}Cu_3O_y$ 58
–of $Sr_2Ca_{n-1}Cu_nO_xCl_y$ 67

Ultrasonic attenuation
–in $YBa_2Cu_3O_{7-\delta}$ 15
Upper critical field H_{c2}
–of $Y_xLu_{1-x}Ni_2B_2C$ 1

Valence of PR
–in $Y_{1-x}Pr_xBa_2Cu_3O_7$ 321
Vortex-glass-type junction
–for $YBa_2Cu_3O_{7-\delta}$ thin film 253

Weak coupling
–in $YBa_2Cu_3O_{6+x}$ 199

X-ray diffraction
–on $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_{8+\delta}$ 34

YBCO degradation 107